

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(gam\$3 near8 (video near2 on near2 demand)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:35
L2	0	(gam\$3 same (video near2 on near2 demand)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:36
L3	0	(gam\$3 and (video near2 on near2 demand)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:36
L4	713	gam\$3 with video and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:37
L5	538	gam\$3 near4 video and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:37
L6	23	(gam\$3 near4 (video near6 demand)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/16 08:38
S1	11051	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:21
S2	73	S1 same (identif\$5 near (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31

S3	174	S1 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:32
S4	29	S3 same (identif\$5 near3 (service provider or ISP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 17:00
S6	0	S1 same (community near3 network near3 service near3 provider near3 connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:13
S7	0	community near3 network near3 service near3 provider near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:13
S8	17	community near3 network near3 service near3 provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:14
S10	25	S1 same (broadband near3 remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
S11	0	S3 same (broadband near3 remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
S12	0	S3 same (remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31
S13	118	S1 same (remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31
S15	0	S13 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:32

S16	15	S13 and (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:33
S17	11051	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S18	174	S17 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S19	73	S18 same (identif\$5 near (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S20	31383	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 16:26
S21	16396	S20 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 16:27
S22	3	S21 and ((delet\$3 near3 (data or informat\$3)) same (terminat\$3 near3 (connect\$3 or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:31
S23	678	S21 and ((delet\$3 or eras\$3 or remov\$3 near3 (data or informat\$3)) same (terminat\$3 or disconnect\$3 near3 (connect\$3 or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:41
S24	0	S23 and ((service provider) near3 send\$3 (message or instruc\$3) near6 (delet\$3 or eras\$3 or remov\$3) near3 (data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:45

S25	0	S23 and ((service provider) near3 send\$3 near6 (message or instruct\$3) near6 (delet\$3 or eras\$3 or remov\$3) near3 (data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:46
S26	171	S23 and ((send\$3 near6 (message or instruct\$3)) near6 ((delet\$3 or eras\$3 or remov\$3) near3 data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:47
S27	140	S26 and (service provider or isp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:48
S28	0	S27 and (reciev\$3 near3 (delet\$3 or eras\$3) near3 (instruct\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:55
S29	37	S27 and ((delet\$3 or eras\$3) near3 (instruct\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:55
S30	27	identificat\$5 near3 gateway and identificat\$5 near3 provider and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/13 16:50
S31	2334	gateway near3 identificat\$5 and service provider near3 identificat\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/13 17:08
S32	10	gateway near3 identificat\$5 and service provider near3 identificat\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:09
S33	132	gateway near3 (identificat\$5 or address) and service provider near3 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:17

S34	0	gateway near3 (identificat \$5 or address) and service provider near3 (identificat \$5 or address) and (data near3 charactri4) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:21
S35	27	gateway near3 (identificat \$5 or address) and service provider near3 (identificat \$5 or address) and bandwidth and priority and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:22
S36	193	gateway near6 (cpe or cuustomer premises equipment) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:33
S37	101	gateway near6 (cpe or cuustomer premises equipment) and service provider and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34
S38	101	gateway near6 (cpe or cuustomer premises equipment) and service provider and network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34
S39	61	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34
S40	25	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and gateway near6 (idendi \$7 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:35
S41	5	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and gateway near6 (idendi \$7 or address) and service provider near6 (identit\$6 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:36

S42	0	proviider near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) near6 data same network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:48
S43	0	proviider near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:48
S44	12441	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:49
S45	4118	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv \$5 near6 data and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:52
S46	0	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv \$5 near6 data with gateway near6 (identificat \$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:53
S47	0	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv \$5 near6 data sam egateway near6 (identificat \$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:53
S48	0	((forward\$5 or send\$5 or transmit\$5) near6 data) with (egateway near6 (identificat\$5 or address)) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:55
S49	3245641	forward\$5 or send\$5 or transmit\$5 near6 data with egateway near6 identificat\$5 or address and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:56

S50	2817953	forward\$5 or send\$5 or transmit\$5 near6 data with egateway near6 (identificat\$5 or address) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:56
S51	0	(forward\$5 or send\$5 or transmit\$5 near6 data) with egateway near6 (identificat\$5 or address) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:58
S52	0	(forward\$5 or send\$5 or transmit\$5 near6 data) same egateway near6 (identificat\$5 or address) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:59
S53	0	(forward\$5 or send\$5 or transmit\$5) near6 data same egateway near6 (identificat\$5 or address) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:00
S54	567655	(forward\$5 or send\$5 or transmit\$5) near6 data and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:01
S55	7936	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:01
S56	831	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:03
S57	314	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and bandwidth and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:04
S58	160	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and bandwidth and priorit\$5 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:04

S59	8	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:05
S60	0	gateway near6 customer premises receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47
S61	0	gateway near6 customer premises same receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47
S62	3	gateway near6 customer premises and receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47
S63	137	((identifica\$5 or identity or id) near8 gateway) and ((identifica\$5 or identity or id) near8 (service near3 provider)) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 18:58
S64	11	((identifica\$5 or identity or id) near8 gateway) and ((identifica\$5 or identity or id) near8 (service near3 provider)) and (data near3 flow) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:00
S65	137	((identifica\$5 or identity or id) near8 gateway) and ((identifica\$5 or identity or id) near8 (service near3 provider)) and network and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:11
S66	0	(network nera6 receiv\$3) same ((identifica\$5 or identity or id) near8 gateway) and ((identifica\$5 or identity or id) near8 (service near3 provider)) and network and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:12



S67	1	((identifica\$5 or identity or id) near8 gateway) and ((identifica\$5 or identity or id) near8 (service near3 provider)) and (gateway near6 (cpe or cuustomer premises equipment)) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:14
S68	1	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) and (gateway near6 (cpe or cuustomer premises equipment)) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:19
S69	1	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) and (cpe or cuustomer premises equipment) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:20
S70	84	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) and network and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:23
S71	45	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) same network and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:28
S72	39	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) same network and gateway same(service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:28

S73	22	((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) same network same gateway same (service near3 provider) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:28
S74	11	((service near4 provider) or (isp or internet service provider)) same ((send\$5 or transmit\$5 or forward \$5) near8 network)) same ((identifica\$5 or identity or id) near4 gateway) and ((identifica\$5 or identity or id) near4 (service near3 provider)) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 19:57
S75	14	((identifica\$5 or identity or id) near3 gateway) same ((identifica\$5 or identity or id) near3 (service near3 provider)) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:03
S76	0	(data near3 flow) near8 (charcteris\$3 or parameter or values) and ((identifica\$5 or identity or id) near3 gateway) same ((identifica\$5 or identity or id) near3 (service near3 provider)) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:19
S77	0	(data near3 flow) near8 (charcteris\$3 or parameter or values) and ((identifica\$5 or identity or id) near3 gateway) and ((identifica\$5 or identity or id) near3 (service near3 provider)) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:19
S78	0	(packet near6 (data near3 flow) near8 (charcteris\$3 or parameter or values)) same gateway same (service near3 provider) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:21
S79	0	(packet with (data near3 flow) near8 (charcteris\$3 or parameter or values)) same gateway same (service near3 provider) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:22

S80	1	(packet with (data near3 flow) near8 (charcteris\$3 or parameter or values)) and gateway same (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:22
S81	12	(data near3 flow) near8 (charcteris\$3 or parameter or values) and gateway same (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:23
S82	11	(data near3 flow) near8 (charcteris\$3 or parameter or values) same packet and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:26
S83	11	(data near3 flow) near8 (charcteris\$3 or parameter or values) same packet and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:26
S84	10	(data near3 flow) near8 (charcteris\$3 or parameter or values) same packet and gateway and (service near3 provider) and "370"/\$.ccls. and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:27
S85	0	((((packet near4 header) near8 (includ\$5 or contain \$5 or keep\$5)) near9 ((data near3 flow) near8 (charcteris\$3 or parameter or values))) and gateway and (service near3 provider) and "370"/\$.ccls. and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:31
S86	0	((((packet near4 header) near8 (includ\$5 or contain \$5 or keep\$5)) near9 ((data near3 flow) near8 (charcteris\$3 or parameter or values or bit))) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:31

S87	0	((packet near4 (header or field)) near8 (includ\$5 or contain\$5 or keep\$5)) near9 ((data near3 flow) near8 (characteris\$3 or parameter or values or bit))) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:32
S88	3	((packet near4 (header or field)) near8 (includ\$5 or contain\$5 or keep\$5 or indicat\$5)) near9 ((data near3 flow) near8 (characteris\$3 or parameter or values or bit))) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 20:32
S89	2	((forward\$5 or send\$5 or transmit\$5) near8 ((priorit \$3 same bandwidth)) near7 (parameter or chracteris\$5 or value)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/15 22:13
S90	2	((forward\$5 or send\$5 or transmit\$5) with ((priorit \$3 same bandwidth)) near7 (parameter or chracteris\$5 or value)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/15 22:20
S91	2	((forward\$5 or send\$5 or transmit\$5) with ((priorit \$3 same bandwidth)) near9 (parameter or chracteris\$5 or value)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/15 22:20
S92	2	((forward\$5 or send\$5 or transmit\$5) same ((priorit \$3 same bandwidth)) near9 (parameter or chracteris\$5 or value)) and gateway and (service near3 provider) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/15 22:21

S93	5	((forward\$5 or send\$5 or transmit\$5) same ((priorit \$3 same bandwidth)) with (parameter or chracteris\$5 or value)) and gateway and (service near3 provider) and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/15 22:21
-----	---	---	---	-----	-----	---------------------

**3/ 16/ 2009 9:19:38 AM**

**C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10722194.wsp**